MOL-LUB Ltd.

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: MOL Farm Grease 2 MG lithium-base lubricating grease

Version: 2 Latest revision: 01. 08. 2012 Date of issue: 27. 08. 2008 Page: 1/(11)

#### 1. Identification of the mixture and of the company/undertaking

#### 1.1 Product identifier:

MOL Farm Grease 2 MG lithium-base lubricating grease

1.2 Relevant identified uses of the mixture and uses advised against

Relevant identified uses: lithium-base lubricating grease

Uses advised against: no data

1.3 Details of the supplier of the safety data sheet:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 34 526 330 / +36 34 526 391

Request SDS of:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

**Customer Service Center** 

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 80 201 296 / +36 34 348 010

Responsible for SDS:

MOL-LUB Ltd. Csaba Horváth, head of HSE, SD and QOP

Phone: +36 34 526 343; Mobile: +36 20 474 2644

e-mail: csahorvath@mol.hu

Technical information:

MOL-LUB Ltd. Product Development and Technical Service

H-1117 Budapest, Október huszonharmadika utca 18., Hungary

Phone/Fax: +36 80 201 296 or +36 1 464 0236 / +36 1 464 0304

1.4 Emergency telephone number

Emergency telephone (on workdays: 07-15<sup>20</sup> h (CET)): +36 34 526 210

Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.)

Tel.: +36 1 476 6464, or +36 80 201 199

National Health Toxicological Information Service:

MOL-LUB Ltd.

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: MOL Farm Grease 2 MG lithium-base lubricating grease

Version: 2 Latest revision: 01. 08. 2012 Date of issue: 27. 08. 2008 Page: 2/(11)

#### 2. Hazards identification

2.1 Classification of the mixture

2.1.1 Classification of the mixture according to regulation (EC) No 1272/2008

Hazard Class and Category: Hazard statement:

Aquatic Cronic 3 H412 Harmful to aquatic life with long lasting

effects.

2.1.2 Classification of the mixture according to regulation (EC) No 1999/45

Human health hazards: Danger symbol not required.

Note: Prolonged and/or repeated contact may cause irritation on

skin or in eyes depending on individual sensitivity (See

also Protective equipment).

Safety hazards: Danger symbol not required.

Environmental hazards: Danger symbol not required.

R 52/53 Harmful to aquatic organisms, may cause long-term

adverse effects in the aquatic environment.

2.2 Label elements (EC) No 1272/2008

Product identification:

Trade name: MOL Farm Grease 2 MG lithium-base lubricating grease

Pictogram: **Not required.** Signal word: **Not required.** 

Hazard statement:

**H412** Harmful to aquatic life with long lasting effects.

Precautionary statements – Prevention:

**P273** Avoid release to the environment.

Precautionary statements – Disposal:

**P501** Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: Not required. Transport classification: see section 14.

2.3 Other hazards

no data available

MOL-LUB Ltd.

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: MOL Farm Grease 2 MG lithium-base lubricating grease

Version: 2 Latest revision: 01. 08. 2012 Date of issue: 27. 08. 2008 Page: 3/(11)

## 3. Composition/information on ingredients

3.1 Mixtures

Chemical description: Mineral oil based consistent lubricant containing lithium soap,

additives and graphite.

Component / Hazardous component(s):

Name	EINECS number	CAS number	Hazard symbol / Hazard classes and cat.	Risk phrase / Hazard statements	Conc. %(m/m)
Lubricating oils (petroleum), C24-	309-877-7	101316-72-7	67/548/EEC:	_ )	
C50*			(Note L)	_	
Registration Nr.:			1272/2008/EC:		
01-2119489969-06			Asp.Tox.1	H304	
			(Note L)		0.0
Lubricating oils	309-874-0	101316-69-2	67/548/EEC:	>	max. 90
(petroleum), C>25*			-	- [	
Registration Nr.:			(Note L)		
01-2119486987-11			1272/2008/EC:		
			-	-	
			(Note L)		
Zinc alkyl dithiophosphate	272-028-3	68649-42-3	67/548/EEC	)	max. 1.5
×±			Xi, N	R 38, R 41,	
				R 51/53	
			1272/2008/EC:		
			Skin Irrit. 2	H315	
			Eye Dam. 1	H318	
			Aquatic Chronic 2	H411	
Molybdenum disulfide*	215-263-9	1317-33-5	67/548/EEC:		max. 1.0
			-	-	
			1272/2008/EC:		
T.d. 1 1 11	215 102 4	1210 (( 2	- 	-	0.1
Lithium hydroxide	215-183-4	1310-66-3	67/548/EEC	D 24 D 22	max. 0.1
monohydrate			C, Xn	R 34, R 22	
48 3			1272/2008/EC:	11214	
			Skin Corr. 1B	H314	
			Acute Tox. 4	H302	

<sup>\*:</sup> with exposure limit

The full text of each relevant R-, H- phrase and Hazard classes and cat. see in Section 16.

MOL-LUB Ltd.

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: MOL Farm Grease 2 MG lithium-base lubricating grease

Version: 2 Latest revision: 01. 08. 2012 Date of issue: 27. 08. 2008 Page: 4/(11)

#### 4. First aid measures

4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never

induce vomiting.

Inhalation: Remove the affected person to fresh air. Seek medical attention.

Skin Remove contaminated clothing. Wash with plenty amount of water, using

contact: soap. In case of persistent irritation, get medical advice.

Eye contact: Flush eyes with large amounts of water for at least 15 minutes. Get medical

attention.

Ingestion: If swallowed, give drink salted lukewarm water. Induce vomiting. Get

medical attention.

4.2 Most important symptoms and effects, both acute and delayed

-

4.3 Indication of any immediate medical attention and special treatment need Not required.

Not required.

#### 5. Fire-fighting measures

Fire hazards:

See also Section 9 - flash point.

5.1 Extinguishing media

Suitable extinguishing media:

Sand, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:

Water jet.

5.2 Special hazards arising from the mixture

Hazardous combustion products:

On burning, carbon monoxide, carbon dioxide, sulphur oxides, nitrogen oxides, phosphor oxides, various hydrocarbons and soot can be formed.

5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations.

**MOL-LUB Ltd.** 

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: MOL Farm Grease 2 MG lithium-base lubricating grease

Version: 2 Latest revision: 01. 08. 2012 Date of issue: 27. 08. 2008 Page: 5/(11)

Further information:

\_

#### 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

Danger of slipping on leaked out/spilled product.

6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.

6.3 Methods and material for containment and cleaning up

On soil: Take up spilled product with shovel or scoop. Residuals should be cleaned

up with cloths and/or sawdust. Dispose of the collected material as

hazardous waste, according to local regulations.

On water: Confine the spillage. Remove from surface by skimming. Notify local

authorities according to regulations.

6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

## 7. Handling and storage

#### 7.1 Precautions for safe handling

General measures for handling lubricant greases should be observed.

Avoid splashing the product.

Avoid contact with skin and eyes.

Ensure washing facilities after working hours and before breaks.

Take off contaminated or oil-soaked clothing immediately, wash with warm water and soap.

After splashing floor may be slippery, use care to avoid falling, contain spills immediately.

When using do not eat, drink or smoke.

Handling temperature: not available

**MOL-LUB Ltd.** 

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: MOL Farm Grease 2 MG lithium-base lubricating grease

Version: 2 Latest revision: 01. 08. 2012 Date of issue: 27. 08. 2008 Page: 6/(11)

7.2 Conditions for safe storage, including any incompatibilities

Store in dry, well ventilated place in original, tightly closed containers.

Keep away from direct heat, ignition sources and strong oxidizing agents.

Recommended storage temperature: max. 45°C

7.3 Specific end use(s)

Lithium-base lubricating grease.

### 8. Exposure controls / personal protection

Engineering control measures:

Not required.

8.1 Control parameters:

Molybdenum sulphide WEL (Great Britain) Short-term value: 20 mg/m³ as Mo

(CAS: 1317-33-5): Long-term value: 10 mg/m³ as Mo

8.2 Exposure controls

Personal protection:

Respiratory protection: Breathing apparatus not required.

Hand protection: Oil resistant gloves (EN 374, Breakthrough time 480 min)

(e.g. nitrile rubber – minimal thickness 0.33 mm).

Note: Manufacturer's directions for use and the conditions of

application should be observed.

Eye protection: Protective goggles not required. Skin protection: Protective clothing (oil resistant).

Other special: no data

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

## 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:

Physical state: consistent

Colour: black, homogenous characteristic

Change in physical state:

Dropping point (ISO 2176): typ. 200°C not available

Others:

Flash point (COC) (EN ISO 2592): > 200°C (base oil)

MOL-LUB Ltd.

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: MOL Farm Grease 2 MG lithium-base lubricating grease

Version: 2 Latest revision: 01. 08. 2012 Date of issue: 27. 08. 2008 Page: 7/(11)

Ignition point (EN ISO 2592):

Autoignition temperature:

Explosive properties:

Oxidizing properties:

Vapour pressure at 20°C:

Density at 20°C:

not available

not oxidize

negligible

not available

Solubility in water: practically insoluble in water

n-Octanol/water partition coefficient: not available Penetration after working – 60 c, at 25°C typ. 280

(0,1 mm) (ISO 2137):

pH: not applicable

9.2 Other information

no data available

#### 10. Stability and reactivity

10.1 Reactivity: Dangerous reactivity not known.

10.2 Chemical stability: No decomposition if stored and handled properly.

10.3 Possibility of hazardous

reactions: Not known.

10.4 Conditions to avoid: Direct heat or ignition sources, open flames.

10.5 Incompatible materials: Strong oxidizing agents.

10.6 Hazardous decomposition No dangerous decomposition products are formed under normal

products: conditions. Hazardous combustion products: See Section 5.

#### 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

Oral:  $LD_{50}$  (rat) > 2000 mg/kg (based on components) Dermal:  $LD_{50}$  (rabbit) > 2000 mg/kg (based on components)

MOL-LUB Ltd.

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: MOL Farm Grease 2 MG lithium-base lubricating grease

Version: 2 Latest revision: 01. 08. 2012 Date of issue: 27. 08. 2008 Page: 8/(11)

Acute toxicity: irritation

Skin: not irritant (based on components)
Eye: not irritant (based on components)

Note: Prolonged and/or repeated contact may cause irritation on skin or in eyes

depending on individual sensitivity.

Respiratory or skin sensitisation: not sensitising (based on components)

Chronic toxicity: not known

Other information, specific effects:

The product does not contain PCBs, PCTs, and other chlorine compounds, and heavy metals, barium compounds.

Note L: The classification as a carcinogen need not apply according to 1272/2008/EC, because it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.

Carcinogen effect: not known, resp. not carcinogen (based on

components)

Mutagen effect: not known, resp. not mutagen (based on components)
Reproduction-damaging not known, resp. no reproduction-damaging effect

effect:

(based on components)

Repeated dose toxicity: not known

### 12. Ecological information

12.1 Toxicity No data available.

Aquatic organisms: Soil organisms:

Plants:

12.2 Persistence and degradability

Biodegradability: No data available.

12.3 Bioaccumulative potential No data available.

12.4 Mobility

Mobility in soil: Soil is not mobile.

Mobility in water: Floats on water. Does not form continuous layer.

MOL-LUB Ltd.

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: MOL Farm Grease 2 MG lithium-base lubricating grease

Version: 2 Latest revision: 01. 08. 2012 Date of issue: 27. 08. 2008 Page: 9/(11)

12.5 Results of PBT and vPvB Not required.

assessment

12.6 Other adverse effects

Heavy metal content: None. PCT, PCB and other chlorinated None.

hydrocarbons:

Environmental effects: Harmful to aquatic life with long lasting effects.

Water hazard class (German): -

#### 13. Disposal considerations

#### 13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

EWC cod: 12 01 12\* Spent waxes and fats.

Disposal must be in compliance with national and local regulations.

#### Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

EWC cod: 15 01 10\*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

#### Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

## 14. Transport information

Land transport:

Road/ Railway ADR/RID: Not classified.

MOL-LUB Ltd.

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: MOL Farm Grease 2 MG lithium-base lubricating grease

Version: 2 Latest revision: 01. 08. 2012 Date of issue: 27. 08. 2008 Page: 10/(11)

Waterways:

Inland waterways/ Sea transport ADN/IMDG: Not classified.

Air transport: ICAO / IATA: Not classified.

#### 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the mixture. This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 and to Regulation (EC) 1272/2008.

15.2 Chemical safety assessment.

#### 16. Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Source of data presented in this material safety data sheet:

Test results of this product

Material safety data sheets of product's components

Hungarian and EU lists of dangerous substances

Relevant Hungarian regulation and EU directives

Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 (CLP)

Aquatic Cronic 3 H412 (calculated)

MOL-LUB Ltd.

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: MOL Farm Grease 2 MG lithium-base lubricating grease

Version: 2 Latest revision: 01. 08. 2012 Date of issue: 27. 08. 2008 Page: 11/(11)

The full text of each relevant Hazard classes and cat., R- and H- phrase in Section 3.:

	The fail lext of each relevant Hazara classes and cal., K- and H- phrase in Section 5					
R 22	Harmful if swallowed.					
R 34	Causes burns.					
R 38	Irritating to skin.					
R41	Risk of serious damage to eyes.					
R 51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.					
H302	Harmful if swallowed.					
H304	May be fatal if swallowed and enters airways.					
H314	Causes severe skin burns and eye damage.					
H315	Causes skin irritation.					
H318	Causes serious eye damage.					
H411	Toxic to aquatic life with long lasting effects.					
Acute Tox. 4	Acute toxicity Category 4					
Asp.Tox.1 Aspiration hazard Category 1						
Skin Corr. 1B	Skin corrosion/irritation Category 1B					
Skin Irrit. 2	Skin corrosion/irritation Category 2					
Eye Dam. 1	Serious eye damage/eye irritation Category					
Aquatic Chronic 2	onic 2 Hazardous to the aquatic environment, Chronic Category 2					

# **Revision Indicators:**

Section	Subject of change	Date	Version
2	Hazards identification	01.08.2012	2
3	Composition/information on ingredients		
12	Ecological information		
1-16	Revision modification according to 453/2010/EC and 1272/2008/EC		