



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Dynamic Gold Longlife 0W-20 synthetic motor oil**

Version: 2 Latest revision: 22. 10. 2020 Date of issue: 14. 03. 2018 Page: 1/(14)

SECTION 1 Identification of the mixture/substance and of the company/undertaking

1.1 Product identifier:

MOL Dynamic Gold Longlife 0W-20 synthetic motor oil

1.2 Relevant identified uses of the mixture or substance and uses advised against

Relevant identified uses: synthetic motor oil

Uses advised against: no data

1.3 Details of the supplier of the safety data sheet:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 34 526 330 / +36 34 526 391

E-mail: kenoanyag@mol.hu

Request SDS of:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

Customer Service Center

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 80 201 296 / +36 34 348 010

Responsible for SDS:

MOL-LUB Ltd.

Phone: +36 80 201 296

e-mail: EBKHelpdesk@MOL.hu

1.4 Emergency telephone number

Emergency telephone (on workdays: 07-15²⁰ h (CET)): +36 34 526 210

Health Toxicological Information Service (ETTSZ 1097 Budapest, Albert Flórián st. 2-6.)

Tel.: +36 80 201 199 (0-24 h, free number, can only be called from Hungary).

+36 1 476 6464 (0-24 h, can be called for a normal fee - also from abroad)

National Health Toxicological Information Service:

SECTION 2 Hazards identification

2.1 Classification of the mixture or substance

Hazard Class and Category: Hazard statement:

Not classified.

-



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Dynamic Gold Longlife 0W-20 synthetic motor oil**

Version: 2 Latest revision: 22. 10. 2020 Date of issue: 14. 03. 2018 Page: 2/(14)

2.2 Label elements

Product identification: Trade name: **MOL Dynamic Gold Longlife 0W-20 synthetic motor oil**

Hazardous components: -

GHS Pictogram: Not required.
Signal word: Not required.

Hazard statement:
Not required.

Supplemental hazard information:
EUH208 Contains C14-16-18 Alkyl phenol. May produce an allergic reaction
EUH210 Safety data sheet available on request.

Precautionary statements – General: -

Precautionary statements – Prevention:
P273 Avoid release to the environment.

Precautionary statements – Response: -

Precautionary statements – Storage: -

Precautionary statements – Disposal:
P501 Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:
Tactile warning of danger: Not required.
Transport classification: see section 14.

2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Dynamic Gold Longlife 0W-20 synthetic motor oil**

Version: 2 Latest revision: 22. 10. 2020 Date of issue: 14. 03. 2018 Page: 3/(14)

SECTION 3 Composition/information on ingredients

3.2 Mixtures

Chemical description: Mixture of refined mineral base oils, synthetic oils and hydrotreated neutral oils containing additives.

Component(s) / Hazardous component(s):

Name	EC number	CAS number	Hazard classes and cat.	Hazard statements	Conc. % (m/m)
Distillates (petroleum), hydrotreated heavy paraffinic* REACH Registr. Nr.: 01-2119484627-25	265-157-1	64742-54-7	Asp. Tox. 1 (Note L)	H304	≥ 50 - <70
1-Decene Homopolymer Hydrogenated REACH Registr.Nr.: 01-2119486452-34	500-183-1	68037-01-4	Asp. Tox. 1 (Note L)	H304	≥ 20 - <30
Long-chain alkyl amine	253-249-4	36878-20-3	Aquatic Chronic 4	H413	≥ 2.5 - <10
Diphenylamine REACH Registr. Nr.: no data	204-539-4	122-39-4	Acute Tox. 3 Acute Tox. 3 Acute Tox. 3 Aquatic Acute 1 Aquatic Chronic 1 STOT RE 2	H301 H311 H331 H400 (M=1) H410 (M=1) H373	≥ 0.1 - <0.25
C14-16-18 Alkyl phenol REACH Registr. Nr.: 01-2119498288-19	931-468-2	-	Skin Sens. 1B Aquatic Chronic 4	H317 H413	≥ 0.1 - <1

*: with exposure limit

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

SECTION 4 First aid measures

4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain medical attention.

Place the unconscious patient in recovery position. If breathing is difficult, administer oxygen. If breathing is stopped, apply artificial respiration.

In case of exposure to H₂S, bring the victim to a hospital as soon as possible.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Dynamic Gold Longlife 0W-20 synthetic motor oil**

Version: 2 Latest revision: 22. 10. 2020 Date of issue: 14. 03. 2018 Page: 4/(14)

Skin contact: Remove contaminated clothing. Wash skin with large amounts of water, use soap. In the event of a complaint, get medical attention.

Eye contact: Flush eyes with plenty of water for 10-15 minutes. In the event of a complaint, get medical attention.

Ingestion: If swallowed, rinse mouth with water, than give water. **Do not** induce vomiting. Get medical attention.

Protection of first-aid person: No individual specifications.

4.2 Most important symptoms and effects, both acute and delayed

Prolonged and/or repeated contact may cause irritation on skin or in eyes depending on individual sensitivity.

May produce an allergic reaction.

4.3 Indication of any immediate medical attention and special treatment need

Not required. Treat symptomatically.

SECTION 5 Fire-fighting measures

Fire hazards:

Combustible.

5.1 Extinguishing media

Suitable extinguishing media:

According to the burning environment: Foam, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:

Water jet.

5.2 Special hazards arising from the mixture or substance

Hazardous combustion products:

On burning, carbon monoxide, carbon dioxide, various hydrocarbons and soot can be formed.

5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations, respiratory protection.

SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Dynamic Gold Longlife 0W-20 synthetic motor oil**

Version: 2 Latest revision: 22. 10. 2020 Date of issue: 14. 03. 2018 Page: 5/(14)

Further information:

Collect contaminated fire fighting water separately. It must not enter the sewage system. Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

Sufficient ventilation should be provided.

Avoid contact with eyes and skin.

Danger of slipping on leaked out/spilled product.

6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil

Notify relevant authority.

6.3 Methods and material for containment and cleaning up

On soil: All kind of ignition sources should be removed. Contain spilled liquid with sand, earth or other suitable absorbents. Recover free liquid by pumping. Dispose of according to local regulations.

On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.

6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

SECTION 7 Handling and storage

7.1 Precautions for safe handling

Keep general measures applied for normal operations with lubricants and flammable materials.

Keep away from radiant heat and open flame.

Sufficient ventilation should be provided.

Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.

Ensure washing facilities after working hours and before breaks. Take off contaminated or oil-soaked clothing, wash with warm water and soap.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Dynamic Gold Longlife 0W-20 synthetic motor oil**

Version: 2 Latest revision: 22. 10. 2020 Date of issue: 14. 03. 2018 Page: 6/(14)

When using do not eat, drink or smoke. Avoid splashing the product.

Handling temperature: no data

7.2 Conditions for safe storage, including any incompatibilities

Storage facilities must comply with regulations for storing of flammable liquids.

Store in dry, well ventilated place in original, closed containers.

Keep away from radiant heat, open flame and strong oxidizing agents.

Storage temperature: max. 40°C

7.3 Specific end use(s)

Synthetic motor oil.

SECTION 8 Exposure controls / personal protection

Engineering control measures:

Not required.

8.1 Control parameters:

Mineral oil mist: TWA: **5 mg/m³**; STEL: 10 mg/m³, for oil mist, vapour excluded (ACGIH).

Method of testing, recommended: NIOSH 5026

8.2 Exposure controls

Personal protection:

Respiratory protection: Under normal conditions not required.

In case of exceeded exposure-limits respiratory protection with particle-filter is recommended.

Hand protection: Oil resistant gloves (EN 374, Breakthrough time 480 min) Permeation performance level: 6) (e.g. nitrile rubber – minimal thickness 0.33 mm).

Note: Manufacturer's directions for use and the conditions of application should be observed.

Eye protection: Where splashing is possible, wear safety glasses (EN 166).

Skin protection: Protective clothing (oil resistant).

Other special: No data.

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Dynamic Gold Longlife 0W-20 synthetic motor oil**

Version: 2 Latest revision: 22. 10. 2020 Date of issue: 14. 03. 2018 Page: 7/(14)

SECTION 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:

Physical state:	liquid
Colour:	green, clear, bright
Odour:	characteristic

Change in physical state:

Pour point (ISO 3016):	typ. -51°C
Boiling point (ISO 2176):	not available

Others:

Flash point (COC) (EN ISO 2592):	typ. 230°C
Ignition point (EN ISO 2592):	not available
Autoignition temperature:	not available
Explosive properties:	not explosive
Oxidizing properties:	not oxidize
Vapour pressure at 20°C:	negligible
Density at 15°C (EN ISO 12185):	0.835 – 0.845 g/cm ³
Solubility in water:	practically insoluble in water
Solubility in other solvents:	gasoline, kerosene, toluene, etc.
n-Octanol/water partition coefficient:	not available
Vapour density:	not available
Heating value:	inf. 38 000 kJ/kg
Kinematic viscosity at 40°C (EN ISO 3104):	typ. 42.0 mm ² /s
Kinematic viscosity at 100°C (EN ISO 3104):	typ. 8.1 mm ² /s
pH:	not applicable

9.2 Other information

no data available

SECTION 10 Stability and reactivity

10.1 Reactivity:	Dangerous reactivity not known.
10.2 Chemical stability:	No decomposition if stored and handled properly.
10.3 Possibility of hazardous reactions:	Not known.
10.4 Conditions to avoid:	Direct heat or ignition sources.
10.5 Incompatible materials:	Strong oxidizing agents.
10.6 Hazardous decomposition products:	No dangerous decomposition products are formed under normal conditions. Hazardous combustion products: See Section 5.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Dynamic Gold Longlife 0W-20 synthetic motor oil**

Version: 2 Latest revision: 22. 10. 2020 Date of issue: 14. 03. 2018 Page: 8/(14)

SECTION 11 Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

Oral:	> 2000 mg/kg	(calculation)
Dermal:	> 2000 mg/kg	(calculation)
Inhalation:	>20 mg/l (4 h)	(calculation)

Components:

Distillates (petroleum), hydrotreated heavy paraffinic (CAS: 64742-54-7):

Oral:	LD ₅₀ (rat)	> 5000 mg/kg
Dermal:	LD ₅₀ (rabbit)	> 5000 mg/kg
Inhalation:	LC ₅₀ (rat)	> 5.00 mg/l (4 h)

Long-chain alkyl amine (CAS: 36878-20-3):

Oral:	LD ₅₀ (rat)	> 5000 mg/kg bw	(OECD 401)
Dermal:	LD ₅₀ (rat)	> 2000 mg/kg bw	(OECD 402)

Diphenylamine (CAS: 122-39-4):

Oral:	LD ₅₀ (rat)	> 3200 mg/kg
Dermal:	LD ₅₀ (rabbit)	> 5000 mg/kg

C14-16-18 Alkyl phenol (CAS: 931-468-2):

Oral:	LD ₅₀ (rat)	2000 mg/kg bw
Dermal:	LD ₅₀ (rat)	2000 mg/kg bw

Acute toxicity: irritation

Skin:	not irritant (based on components)
Eye:	not irritant (based on components)

Respiratory or skin sensitisation: not sensitising (based on components), but may produce an allergic reaction

Other information, specific effects:

NOTE L: The base oil(s) contain(s) less than 3% DMSO extract (IP 346), therefore not classified as carcinogenic material according to 1272/2008/EC.

Germ cell mutagenicity:	not known, resp. not mutagen (based on components)
Carcinogenicity:	not known, resp. not carcinogen (based on components)
Reproductive toxicity:	not known, resp. no reproduction-damaging effect (based on components)
STOT-single exposure:	not classified
STOT-repeated exposure:	not classified
Aspiration hazard:	not classified



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Dynamic Gold Longlife 0W-20 synthetic motor oil**

Version: 2 Latest revision: 22. 10. 2020 Date of issue: 14. 03. 2018 Page: 9/(14)

SECTION 12 Ecological information

12.1 Toxicity No data for the product.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic (CAS: 64742-54-7):

Fish (Pimephales promelas):	NOEL	≥100	mg/l/96 h
Fish (Oncorhynchus mykiss):	NOEL	>1000	mg/l/28 days
Daphnia (Daphnia magna):	NOEL	> 10 000	mg/l/48 h
Daphnia (Daphnia magna):	NOEL	> 100	mg/l/21 days
Algae (Pseudokirchinella subcapitata):	NOEL	≥100	mg/l/72 h

Diphenylamine (CAS: 122-39-4):

Fish (Leuciscus idus):	LC50	20	mg/l/48 h
Daphnia (Daphnia magna):	EC50	2,3	mg/l/24 h
Algae (Desmodesmus subspicatus):	EC50	0,48	mg/l/72 h

C14-16-18 Alkyl phenol (CAS: 931-468-2):

Fish (Cyprinus carpio):	LC ₅₀	>100	mg/l/96 h	OECD 203
Daphnia (Daphnia magna):	EC ₅₀	>100	mg/l/48 h	OECD 202
Algae (Pseudokirchinella subcapitata):	EC ₅₀	>100	mg/l/72 h	OECD 201
Algae (Pseudokirchinella subcapitata):	NOEC	100	mg/l/72 h	OECD 201

12.2 Persistence and degradability No data available.

Biodegradability:

No data available.

Long-chain alkyl amine (CAS: 36878-20-3):

1 % (28 days, aerob, activated sludge)
not readily degradable

Diphenylamine (CAS: 122-39-4):

0 % (14 days, 100 mg/l) not readily degradable

C14-16-18 Alkyl phenol (CAS: 931-468-2):

6 % (28 days, aerob, activated sludge) (OECD 301B)
not readily degradable

12.3 Bioaccumulative potential No data available.

Distillates (petroleum),

hydrotreated heavy paraffinic (CAS: 64742-54-7):

log Kow > 6

Long-chain alkyl amine (CAS: 36878-20-3):

log Kow > 7,6

C14-16-18 Alkyl phenol (CAS: 931-468-2):

log Kow > 7,2 (35°C, pH 7) (OECD 117)



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Dynamic Gold Longlife 0W-20 synthetic motor oil**

Version: 2 Latest revision: 22. 10. 2020 Date of issue: 14. 03. 2018 Page: 10/(14)

12.4	Mobility	
	Mobility in water:	Floats on water.
	Mobility in soil:	Absorbs in soil.
12.5	Results of PBT and vPvB assessment	Does not contain PBT and vPvB substances.
12.6	Other adverse effects	
	Heavy metal content:	None.
	PCT, PCB and other chlorinated hydrocarbons:	None.
	Environmental effects:	Spills may form a film on water surfaces causing impaired oxygen transfer.
	Water hazard class (German):	WGK 1 (Classification by AwSV)

SECTION 13 Disposal considerations

13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 13 02 05*

Mineral-based non-chlorinated engine, gear and lubricating oils.

Waste Identification Code: 13 02 06*

Synthetic engine, gear and lubricating oils.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10*

packaging containing residues of or contaminated by dangerous substances

Disposal must be in compliance with national and local regulations.

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Dynamic Gold Longlife 0W-20 synthetic motor oil**

Version: 2 Latest revision: 22. 10. 2020 Date of issue: 14. 03. 2018 Page: 11/(14)

SECTION 14 Transport information

Land transport:

Road/ Railway

ADR/RID:

Not classified.

14.1 UN number:

Not classified.

14.2 UN proper shipping name:

Not classified.

14.3 Transport hazard class(es):

Not classified.

14.4 Packing group:

Not classified.

14.5 Environmental hazards:

Not classified.

14.6 Special precautions for user:

Not classified.

Waterways:

Inland waterways/ Sea transport ADN/IMDG:

Not apply to the product.

Air transport: ICAO / IATA:

Not apply to the product.

SECTION 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the mixture.

This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2015/830/EU) and to Regulation (EC) 1272/2008.

Seveso category: not classified.

15.2 Chemical safety assessment.

not available

SECTION 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Dynamic Gold Longlife 0W-20 synthetic motor oil**

Version: 2 Latest revision: 22. 10. 2020 Date of issue: 14. 03. 2018 Page: 12/(14)

Source of data presented in this material safety data sheet:

Test results of this product

Material safety data sheets of product's components

1272/2008/EC regulation, Annex XVII. of REACH

Relevant Hungarian and EU regulations

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP)

Not classified. - calculation method

The full text of each relevant H- phrase and Hazard classes and cat. in Section 3.:

H301	Toxic if swallowed
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
Acute Tox. 3	Acute toxicity Category 3
Asp. Tox. 1	Aspirációs veszély 1. kategória
Skin Sens. 1B	Respiratory/skin sensitization Category 1B
STOT RE 2	Specific target organ toxicity – repeated exposure Category 2
Aquatic Acute 1	Hazardous to the aquatic environment, Acute Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, Chronic Category 1
Aquatic Chronic 4	Hazardous to the aquatic environment, Chronic Category 4

Legend:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor

SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Dynamic Gold Longlife 0W-20 synthetic motor oil**

Version: 2

Latest revision: 22. 10. 2020

Date of issue: 14. 03. 2018

Page: 13/(14)

BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labelling
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging (1272/2008/EC)
CMR	Carcinogenic, Mutagenic or toxic to Reproduction
COD	Chemical Oxygen Demand
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Chemicals Agency
Ec _x	Effective Concentration x%
ErC50	EC50 in terms of reduction of growth rate
Ed _x	Effective Dose x%
EC	European Community
EC number	European Community number
ELINCS	European List of Notified Chemical Substances
ES	Exposure Scenario
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC _x	Lethal Concentration x%
LD _x	Lethal Dose x%
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts/million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Dynamic Gold Longlife 0W-20 synthetic motor oil**

Version: 2 Latest revision: 22. 10. 2020 Date of issue: 14. 03. 2018 Page: 14/(14)

Revision Indicators:

Section	Subject of change	Date	Version
1.	Identification of the mixture/substance and of the company/undertaking	22. 10. 2020.	2
2.2	Label elements		
3.	Composition/information on ingredients		
4.	First aid measures		
5.	Fire-fighting measures		
6.	Accidental release measures		
7.	Handling and storage		
9.	Physical and chemical properties		
11.	Toxicological information		
12.	Ecological information		
15.	Regulatory information		
16.	Other information		