

# SAFETY DATA SHEET

**MOL-LUB Ltd.**

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: **MOL Hydro HV 46 multigrade hydraulic oil**

Version: 5    Latest revision: 11. 09. 2015    Date of issue: 20. 06. 2007    Page: 1/(12)

## Section 1    Identification of the mixture and of the company/undertaking

### 1.1 Product identifier:

**MOL Hydro HV 46 multigrade hydraulic oil**

### 1.2 Relevant identified uses of the mixture and uses advised against

Relevant identified uses: multigrade hydraulic oil

Uses advised against: no data

### 1.3 Details of the supplier of the safety data sheet:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 34 526 330 / +36 34 526 391

E-mail: kenoanyag@mol.hu

Request SDS of:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

Customer Service Center

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 80 201 296 / +36 34 348 010

Responsible for SDS:

MOL-LUB Ltd. Csaba Horváth, head of SD, HSE & Business Support

Phone: +36 34 526 343; Mobile: +36 20 474 2644

e-mail: csahorvath@mol.hu

### 1.4 Emergency telephone number

Emergency telephone (07-15<sup>20</sup> h): +36 34 526 210 (CET) on workdays

Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.)

Tel.: +36 1 476 6464, or +36 80 201 199

National Health Toxicological Information Service:

## Section 2    Hazards identification

### 2.1 Classification of the mixture

#### 2.1.1 Classification of the mixture according to regulation 1272/2008/EC

Hazard Class and Category:    Hazard statement:

Not classified.

# SAFETY DATA SHEET

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: **MOL Hydro HV 46 multigrade hydraulic oil**

Version: 5    Latest revision: 11. 09. 2015    Date of issue: 20. 06. 2007    Page: 2/(12)

## 2.2 Label elements 1272/2008/EC

Product identification: Trade name: **MOL Hydro HV 46 multigrade hydraulic oil**

Hazardous components: -

GHS Pictogram: not required

Signal word: not required

Hazard statement:

**not required**

Supplemental hazard information: -

Precautionary statements – General: -

Precautionary statements – Prevention:

**P273** Avoid release to the environment.

Precautionary statements – Response: -

Precautionary statements – Storage: -

Precautionary statements – Disposal:

**P501** Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: Not required.

Transport classification: see section 14.

## 2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006.

## Section 3 Composition/information on ingredients

### 3.2 Mixtures

Chemical description: Mixture of refined mineral base oils containing additives.

# SAFETY DATA SHEET

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: **MOL Hydro HV 46 multigrade hydraulic oil**

Version: 5    Latest revision: 11. 09. 2015    Date of issue: 20. 06. 2007    Page: 3/(12)

## Component(s) / Hazardous component(s):

Name	EU number	CAS number	Hazard classes and cat.	Hazard statements	Conc. % (m/m)
Base oil – unspecified, hydrotreated heavy paraffinic, C20-C50*	265-157-1	64742-54-7	- (Note L)	-	max. 50
Lubricating oils (petroleum), C24-C50* REACH Registr. Nr.: 01-2119489969-06	309-877-7	101316-72-7	Asp. Tox. 1 (Note L)	H304	30-50
Lubricating oils (petroleum), C>25* REACH Registr.Nr.: 01-2119486948-13	309-874-0	101316-69-2	- (Note L)	-	max. 10
Base oil (petroleum), C20-C50*	265-090-8 or 265-169-7	64741-88-4 or 64742-65-0	- (Note L)	-	max. 5
Lubricating oils (petroleum), C18-40* REACH Registr.Nr.: 01-2119486987-11	305-594-8	94733-15-0	- (Note L)	-	< 5
Zinc alkyl dithiophosphate	272-028-3	68649-42-3	Eye Dam. 1 Aquatic Chronic. 2	H318 H411	max. 0.6
Alkyl phenol		confidential	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	max. 0.2

\*: with exposure limit

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

## Section 4    First aid measures

### 4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain medical attention.

Skin contact: Remove contaminated clothing. Wash skin with large amounts of water, use soap. In case of persistent irritation, get medical attention.

Eye contact: Flush eyes with plenty of water for 10-15 minutes. In case of persistent irritation, get medical attention.

Ingestion: If swallowed, give water. **Do not** induce vomiting. Get medical attention.

# SAFETY DATA SHEET

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: **MOL Hydro HV 46 multigrade hydraulic oil**

Version: 5    Latest revision: 11. 09. 2015    Date of issue: 20. 06. 2007    Page: 4/(12)

Protection of first-aid person: No individual specifications.

4.2 Most important symptoms and effects, both acute and delayed  
No data available.

4.3 Indication of any immediate medical attention and special treatment need  
Not required.

## Section 5      Fire-fighting measures

Fire hazards:  
Combustible.

5.1 Extinguishing media  
Suitable extinguishing media:  
Foam, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:  
Water jet.

5.2 Special hazards arising from the mixture  
Hazardous combustion products:  
On burning, carbon dioxide, carbon monoxide, sulphur oxides, phosphor oxides, various hydrocarbons and soot can be formed.

5.3 Advice for fire-fighters  
Special protective equipment:  
According to the existing fire-fighting regulations. Respiratory protection.

Further information:  
-

## Section 6      Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures  
Personal precautions: see Section 8.

6.2 Environmental precautions:  
Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.

# SAFETY DATA SHEET

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: **MOL Hydro HV 46 multigrade hydraulic oil**

Version: 5    Latest revision: 11. 09. 2015    Date of issue: 20. 06. 2007    Page: 5/(12)

## 6.3 Methods and material for containment and cleaning up

On soil: All kind of ignition sources should be remove. Recover free liquid by pumping. Contain the rest or small quantities with sand, earth or other suitable absorbents. Dispose of according to local regulations.

On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.

## 6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

## Section 7 Handling and storage

### 7.1 Precautions for safe handling

Keep general measures applied for normal operations with lubricants and flammable liquids.

Keep away from radiant heat and open flame.

Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.

Ensure washing facilities after working hours and before breaks. Take off contaminated or oil-soaked clothing, wash with warm water and soap.

When using do not eat, drink or smoke. Avoid splashing the product.

Handling temperature: not known

### 7.2 Conditions for safe storage, including any incompatibilities

Storage facilities must comply with regulations for storing of flammable liquids.

Store in dry, well ventilated place in original, closed containers.

Keep away from radiant heat, open flame and strong oxidizing agents.

Storage temperature: max. 40°C

### 7.3 Specific end use(s)

Multigrade hydraulic oil.

## Section 8 Exposure controls / personal protection

Engineering control measures:

Not required.

### 8.1 Control parameters:

**Mineral oil mist:** TWA: **5 mg/m<sup>3</sup>**; STEL: 10 mg/m<sup>3</sup>, for oil mist, vapour excluded (ACGIH).

Method of testing, recommended: NIOSH 5026

# SAFETY DATA SHEET

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: **MOL Hydro HV 46 multigrade hydraulic oil**

Version: 5    Latest revision: 11. 09. 2015    Date of issue: 20. 06. 2007    Page: 6/(12)

## 8.2 Exposure controls

### Personal protection:

Respiratory protection: Breathing apparatus not required.

Hand protection: Oil resistant gloves (EN 374, Breakthrough time 480 min) (e.g. nitrile rubber – minimal thickness 0.33 mm).

Note: Manufacturer's directions for use and the conditions of application should be observed.

Eye protection: Safety goggles not required.

Skin protection: Protective clothing (oil resistant).

Other special: no data

### Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

## Section 9 Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance:

Physical state: liquid  
Colour: yellow, clear  
Odour: characteristic

#### Change in physical state:

Pour point (ISO 3016): typ. -42°C  
Boiling point: not available

#### Others:

Flash point (COC) (EN ISO 2592): typ. 220°C  
Ignition point (EN ISO 2592): not available  
Autoignition temperature: not available  
Explosive properties: not explosive  
Oxidizing properties: not oxidize  
Vapour pressure at 20°C: negligible  
Density at 15°C (EN ISO 12185): 0.855-0.875 g/cm<sup>3</sup>  
Solubility in water: practically insoluble in water  
Solubility in other solvents: gasoline, kerosene, toluene, etc.  
n-Octanol/water partition coefficient: not available  
Vapour density: not available  
Heating value: inf. 38 000 kJ/kg

# SAFETY DATA SHEET

**MOL-LUB Ltd.**

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: **MOL Hydro HV 46 multigrade hydraulic oil**

Version: 5    Latest revision: 11. 09. 2015    Date of issue: 20. 06. 2007    Page: 7/(12)

Kinematic viscosity at 40°C (EN ISO 3104): typ. 45.1 mm<sup>2</sup>/s  
Kinematic viscosity at 100°C (EN ISO 3104): typ. 8.1 mm<sup>2</sup>/s  
pH: not applicable

9.2 Other information  
no data available

## Section 10    Stability and reactivity

10.1 Reactivity: Dangerous reactivity not known.  
10.2 Chemical stability: No decomposition if stored and handled properly.  
10.3 Possibility of hazardous reactions: Not known.  
10.4 Conditions to avoid: Direct heat or ignition sources.  
10.5 Incompatible materials: Strong oxidizing agents.  
10.6 Hazardous decomposition products: No dangerous decomposition products are formed under normal conditions. Hazardous combustion products: See Section 5.

## Section 11    Toxicological information

### 11.1 Information on toxicological effects

Acute toxicity:

Oral:	LD <sub>50</sub> (rat)	> 2000	mg/kg	(based on components)
Dermal:	LD <sub>50</sub> (rabbit)	> 2000	mg/kg	(based on components)

Acute toxicity: irritation

Skin: not irritant (based on components)  
Eye: not irritant (based on components), causes serious eye irritation  
Note: Prolonged and/or repeated contact may cause irritation on skin or in eyes depending on individual sensitivity.

Respiratory or skin sensitisation: not sensitising (based on components)

Other information, specific effects:

The product does not contain PCBs, PCTs, and other chlorine compounds, and heavy metals, barium compounds.

Note L: The classification as a carcinogen need not apply according to 1272/2008/EC, because it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.

# SAFETY DATA SHEET

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: **MOL Hydro HV 46 multigrade hydraulic oil**

Version: 5    Latest revision: 11. 09. 2015    Date of issue: 20. 06. 2007    Page: 8/(12)

Germ cell mutagenicity:	not known, resp. not mutagen (based on components)
Carcinogenicity:	not known, resp. not carcinogen (based on components)
Reproductive toxicity:	not known, resp. no reproduction-damaging effect (based on components)
STOT-single exposure:	not known
STOT-repeated exposure:	not known
Aspiration hazard:	not known

## Section 12    Ecological information

12.1	Toxicity	No data for the product.
	Aquatic organisms:	
	Soil organisms:	
	Plants:	
12.2	Persistence and degradability	No data available.
	Biodegradability:	No data available.
12.3	Bioaccumulative potential	No data available.
12.4	Mobility	
	Mobility in soil	Absorbs in soil.
	Mobility in water:	Floats on water.
12.5	Results of PBT and vPvB assessment	Does not contain PBT and vPvB substances.
12.6	Other adverse effects	
	Heavy metal content:	None.
	PCT, PCB and other chlorinated hydrocarbons:	None.
	Environmental effects:	Spills may form a film on water surfaces causing impaired oxygen transfer.
	Water hazard class (German):	WGK 1 (Classification by VwVwS)

## Section 13    Disposal considerations

13.1	Waste treatment methods	
	Product disposal:	
	Wastes of the product or used oil should be treated as hazardous waste.	
	Waste Identification Code: 13 01 10*	
	Mineral based non-chlorinated hydraulic oils.	





# SAFETY DATA SHEET

**MOL-LUB Ltd.**

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: **MOL Hydro HV 46 multigrade hydraulic oil**

Version: 5    Latest revision: 11. 09. 2015    Date of issue: 20. 06. 2007    Page: 10/(12)

## Section 15    Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the mixture.

This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (applicable version) and to Regulation (EC) 1272/2008.

15.2 Chemical safety assessment.

not available

## Section 16    Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Source of data presented in this material safety data sheet:

Test results of this product

Material safety data sheets of product's components

Hungarian and EU lists of dangerous substances

Relevant Hungarian regulation and EU directives

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP)

Not classified.

*The full text of each relevant H- phrase and Hazard classes and cat. in Section 3.:*

H304                      May be fatal if swallowed and enters airways.

H318                      Causes serious eye damage.

H400                      Very toxic to aquatic life.

H410                      Very toxic to aquatic life with long lasting effects.

H411                      Toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: **MOL Hydro HV 46 multigrade hydraulic oil**

Version: 5    Latest revision: 11. 09. 2015    Date of issue: 20. 06. 2007    Page: 11/(12)

Asp.Tox.1	Aspiration hazard Category 1
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Aquatic Acute 1	Hazardous to the aquatic environment, Acute Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, Chronic Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, Chronic Category 2

## Legend:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labeling
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging (1272/2008/EC)
CMR	Carcinogenic, Mutagenic or toxic to Reproduction
COD	Chemical Oxygen Demand
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Chemicals Agency
Ec <sub>x</sub>	Effective Concentration x%
ErC <sub>50</sub>	EC <sub>50</sub> in terms of reduction of growth rate
Ed <sub>x</sub>	Effective Dose x%
EC	European Community
EC number	European Community number
ELINCS	European List of Notified Chemical Substances
ES	Exposure Scenario
ESIS	European Chemical Substances Information System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC <sub>x</sub>	Lethal Concentration x%
LD <sub>x</sub>	Lethal Dose x%) Halálos dózis x%
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level

# SAFETY DATA SHEET

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: **MOL Hydro HV 46 multigrade hydraulic oil**

Version: 5    Latest revision: 11. 09. 2015    Date of issue: 20. 06. 2007    Page: 12/(12)

NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts/million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

## Revision Indicators:

Section	Subject of change	Date	Version
3 9	Composition/information on ingredients Physical and chemical properties Other corrections	26.11.2008	2
3 1-16	Composition/information on ingredients Revision modification according to 1272/2008/EC and 453/2010/EC	11.11.2011	3
3 9	Composition/information on ingredients Physical and chemical properties	22.11.2012	4
1 2 3 5 9 14 1-16	Details of the supplier of the safety data sheet, Responsible for SDS Other hazards Composition/information on ingredients Fire hazards Physical and chemical properties Transport information Other corrections, Revision modification according to 2015/830/EU	11.09.2015	5