

# SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

**MOL-LUB Ltd.**

Trade name: **MOL Favorit 2 lithium complex lubricating grease**

Version: 7    Latest revision: 29. 06. 2017    Date of issue: 20. 06. 2007    Page: 1/(13)

## Section 1 Identification of the mixture/substance and of the company/undertaking

### 1.1 Product identifier:

**MOL Favorit 2 lithium complex lubricating grease**

### 1.2 Relevant identified uses of the mixture or substance and uses advised against

Relevant identified uses: lithium complex lubricating grease

Uses advised against: no data

### 1.3 Details of the supplier of the safety data sheet:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 34 526 330 / +36 34 526 391

E-mail: kenoanyag@mol.hu

Request SDS of:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

Customer Service Center

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 80 201 296 / +36 34 348 010

Responsible for SDS:

MOL-LUB Ltd. Csaba Horváth, head of SD, HSE & Business Support

Phone: +36 34 526 343; Mobile: +36 20 474 2644

e-mail: csahorvath@mol.hu

### 1.4 Emergency telephone number

Emergency telephone (on workdays: 07-15<sup>20</sup> h (CET)): +36 34 526 210

Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.)

Tel.: 36 80 201 199 (0-24 h, free number).

National Health Toxicological Information Service:

# SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

**MOL-LUB Ltd.**

Trade name: **MOL Favorit 2 lithium complex lubricating grease**

Version: 7    Latest revision: 29. 06. 2017    Date of issue: 20. 06. 2007    Page: 2/(13)

## Section 2    Hazards identification

### 2.1 Classification of the mixture or substance

Hazard Class and Category:      Hazard statement:  
Eye Irrit 2                              H319      Causes serious eye irritation.

### 2.2 Label elements

Product identification:

Trade name:                      **MOL Favorit 2 lithium complex lubricating grease**

Hazardous components: -

Pictogram:



Signal word:                      **Warning**

Hazard statement:  
**H319**                              Causes serious eye irritation.

Supplemental hazard information: -

Precautionary statements – General: -

Precautionary statements – Prevention:

**P280**                              Wear eye protection.

**P273**                              Avoid release to the environment.

Precautionary statements – Response:

**P305 + P351 + P338**      IF IN EYES: Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do. Continue rinsing.

**P337 + P313**                      If eye irritation persists: Get medical advice/attention.

Precautionary statements – Storage: -

# SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

**MOL-LUB Ltd.**

Trade name: **MOL Favorit 2 lithium complex lubricating grease**

Version: 7    Latest revision: 29. 06. 2017    Date of issue: 20. 06. 2007    Page: 3/(13)

Precautionary statements – Disposal:

**P501**                      Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger:    Not required.

Transport classification: see section 14.

## 2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006.

## Section 3    Composition/information on ingredients

### 3.2 Mixtures

Chemical description:        Mineral oil and synthetic oil based consistent lubricant containing complex lithium soap and additives.

Component / Hazardous component(s):

Name	EU number	CAS number	Hazard classes and cat.	Hazard statements	Conc. % (m/m)
Distillates (petroleum), solvent-dewaxed heavy paraffinic C20- C50* REACH Registr. Nr.: 01-2119471299-27	265-169-7	64742-65-0	- (Note L)	-	max. 60
Lubricating oils (petroleum), C24-C50* Registration Nr.: 01-2119489969-06	309-877-7	101316-72-7	- (Note L)	-	max. 15
Lubricating oils (petroleum), C>25* Registration Nr.: 01-2119486948-13	309-874-0	101316-69-2	- (Note L)	-	max. 5
Lubricating oils (petroleum), C18-40* REACH Registr. Nr.: 01-2119486987-11	305-594-8	94733-15-0	- (Note L)	-	max. 5

# SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

**MOL-LUB Ltd.**

Trade name: **MOL Favorit 2 lithium complex lubricating grease**

Version: 7    Latest revision: 29. 06. 2017    Date of issue: 20. 06. 2007    Page: 4/(13)

Name	EU number	CAS number	Hazard classes and cat.	Hazard statements	Conc. %(m/m)
Polyisobutenyl succinic acid anhydride		67762-77-0	Eye Irrit. 2 STOT SE 3	H319 H335	max. 4.5
Sulfurized vegetable oil	304-821-2	94279-76-2	Skin Irrit. 2 Eye Irrit. 2	H315 H319	max. 1.5
Zinc alkyl dithiophosphate	272-028-3	68649-42-3	Skin Irrit. 2  Eye Dam. 1 Aquatic Chronic 2	H315  H318 H411	max. 1.5
Lithium hydroxide monohydrate	215-183-4	1310-66-3	Skin Corr. 1B Acute Tox. 4	H314 H302	max. 0.1

\*: with exposure limit

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

## Section 4    First aid measures

### 4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

Inhalation: Remove the affected person to fresh air. Seek medical attention.

Skin contact: Remove contaminated clothing. Wash with plenty amount of water, using soap. In case of persistent irritation, get medical advice.

Eye contact: Flush eyes with large amounts of water for at least 15 minutes. Get medical attention.

Ingestion: If swallowed, give drink salted lukewarm water. Induce vomiting. Get medical attention.

Protection of first-aid person: No individual specifications.

### 4.2 Most important symptoms and effects, both acute and delayed

Not available.

### 4.3 Indication of any immediate medical attention and special treatment need

Not required.

# SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

**MOL-LUB Ltd.**

Trade name: **MOL Favorit 2 lithium complex lubricating grease**

Version: 7    Latest revision: 29. 06. 2017    Date of issue: 20. 06. 2007    Page: 5/(13)

## Section 5    Fire-fighting measures

Fire hazards:  
Combustible.

### 5.1 Extinguishing media

Suitable extinguishing media:  
Sand, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:  
Water jet.

### 5.2 Special hazards arising from the mixture or substance

Hazardous combustion products:  
On burning, carbon monoxide, carbon dioxide, sulphur oxides, phosphor oxides, various hydrocarbons and soot can be formed.

### 5.3 Advice for fire-fighters

Special protective equipment:  
According to the existing fire-fighting regulations.

Further information:  
-

## Section 6    Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.  
Danger of slipping on leaked out/spilled product.

### 6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil. Notify relevant authority.

### 6.3 Methods and material for containment and cleaning up

On soil:        Take up spilled product with shovel or scoop. Residuals should be cleaned up with cloths and/or sawdust. Dispose of the collected material as hazardous waste, according to local regulations.

On water:      Confine the spillage. Remove from surface by skimming. Notify local authorities according to regulations.

# SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

**MOL-LUB Ltd.**

Trade name: **MOL Favorit 2 lithium complex lubricating grease**

Version: 7    Latest revision: 29. 06. 2017    Date of issue: 20. 06. 2007    Page: 6/(13)

## 6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

## Section 7 Handling and storage

### 7.1 Precautions for safe handling

General measures for handling lubricant greases should be observed.

Avoid splashing the product.

Avoid contact with skin and eyes.

Ensure washing facilities after working hours and before breaks.

Take off contaminated or oil-soaked clothing immediately, wash with warm water and soap.

After splashing floor may be slippery, use care to avoid falling, contain spills immediately.

When using do not eat, drink or smoke.

Handling temperature: not available

### 7.2 Conditions for safe storage, including any incompatibilities

Store in dry, well ventilated place in original, tightly closed containers.

Keep away from direct heat, ignition sources and strong oxidizing agents.

Recommended storage temperature: max. 45°C

### 7.3 Specific end use(s)

Lithium complex lubricating grease.

## Section 8 Exposure controls / personal protection

Engineering control measures:

Not required.

### 8.1 Control parameters: -

### 8.2 Exposure controls

Personal protection:

Respiratory protection: Breathing apparatus not required.

Hand protection: Oil resistant gloves (EN 374, Breakthrough time 480 min) (e.g. nitrile rubber – minimal thickness 0.33 mm).

Note: Manufacturer's directions for use and the conditions of application should be observed.

# SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

**MOL-LUB Ltd.**

Trade name: **MOL Favorit 2 lithium complex lubricating grease**

Version: 7    Latest revision: 29. 06. 2017    Date of issue: 20. 06. 2007    Page: 7/(13)

Eye protection:                      Tightly fitting safety goggles (EN 166).  
Skin protection:                     Protective clothing (oil resistant).  
Other special:                        no data

Environmental exposure controls:  
Do not discharge into drains/surface waters/groundwater.

## Section 9      Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance:

Physical state:                        consistent  
Colour:                                 yellow, homogenous  
Odour:                                 characteristic

Change in physical state:

Dropping point (ISO 2176):        typ. 270°C  
Pour point:                            not available

Others:

Flash point (COC) (EN ISO 2592):   > 200°C (base oil)  
Ignition point (EN ISO 2592):       not available  
Autoignition temperature:           not available  
Explosive properties:                not explosive  
Oxidizing properties:                not oxidize  
Vapour pressure at 20°C:            negligible  
Density at 20°C:                      not available  
Solubility in water:                  practically insoluble in water  
n-Octanol/water partition coefficient: not available  
Penetration after working – 60 c, at 25°C typ. 280  
(0,1 mm) (ISO 2137):  
pH:                                        not applicable

### 9.2 Other information

no data available

## Section 10      Stability and reactivity

10.1 Reactivity:                        Dangerous reactivity not known.  
10.2 Chemical stability:                No decomposition if stored and handled properly.

# SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

**MOL-LUB Ltd.**

Trade name: **MOL Favorit 2 lithium complex lubricating grease**

Version: 7    Latest revision: 29. 06. 2017    Date of issue: 20. 06. 2007    Page: 8/(13)

- 10.3 Possibility of hazardous reactions: Not known
- 10.4 Conditions to avoid: Direct heat or ignition sources, open flames.
- 10.5 Incompatible materials: Strong oxidizing agents.
- 10.6 Hazardous decomposition products: No dangerous decomposition products are formed under normal conditions. Hazardous combustion products: See Section 5.

## Section 11 Toxicological information

### 11.1 Information on toxicological effects

Acute toxicity:

Oral:	LD <sub>50</sub> (rat)	> 2000	mg/kg	(based on components)
Dermal:	LD <sub>50</sub> (rabbit)	> 2000	mg/kg	(based on components)

Acute toxicity: irritation

Skin: not irritant (based on components)

Note: Prolonged and/or repeated contact may cause irritation on skin depending on individual sensitivity.

Eye: irritant (based on components)

Respiratory or skin sensitisation: not sensitising (based on components)

Other information, specific effects:

The product does not contain PCBs, PCTs, and other chlorine compounds, and heavy metals, barium compounds.

Note L: The classification as a carcinogen need not apply according to 1272/2008/EC, because it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.

Germ cell mutagenicity: not known, resp. not mutagen (based on components)

Carcinogenicity: not known, resp. not carcinogen (based on components)

Reproductive toxicity: not known, resp. no reproduction-damaging effect (based on components)

STOT-single exposure: not classified

STOT-repeated exposure: not classified

Aspiration hazard: not classified



# SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

**MOL-LUB Ltd.**

Trade name: **MOL Favorit 2 lithium complex lubricating grease**

Version: 7    Latest revision: 29. 06. 2017    Date of issue: 20. 06. 2007    Page: 9/(13)

## Section 12 Ecological information

12.1	Toxicity	No data available.
	Aquatic organisms:	
	Soil organisms:	
	Plants:	
12.2	Persistence and degradability	
	Biodegradability:	No data available.
12.3	Bioaccumulative potential	No data available.
12.4	Mobility	
	Mobility in soil:	Soil is not mobile.
	Mobility in water:	Floats on water. Does not form continuous layer.
12.5	Results of PBT and vPvB assessment	Does not contain PBT and vPvB substances.
12.6	Other adverse effects	
	Heavy metal content:	None.
	PCT, PCB and other chlorinated hydrocarbons:	None.
	Environmental effects:	Large spillages may be hazardous to the environment.
	Water hazard class (German):	WGK 1 (Classification by VwVwS)

## Section 13 Disposal considerations

13.1	Waste treatment methods	
	Product disposal:	
	Wastes of the product or used oil should be treated as hazardous waste.	
	Waste Identification Code: 12 01 12*	
	Spent waxes and fats.	
	Packaging disposal:	
	Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.	
	Waste Identification Code: 15 01 10*	
	Packaging containing residues of or contaminated by dangerous substances.	
	Disposal must be in compliance with national and local regulations.	



# SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

**MOL-LUB Ltd.**

Trade name: **MOL Favorit 2 lithium complex lubricating grease**

Version: 7    Latest revision: 29. 06. 2017    Date of issue: 20. 06. 2007    Page: 11/(13)

## Section 16      Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Source of data presented in this material safety data sheet:

Test results of this product

Material safety data sheets of product's components

Hungarian lists of dangerous substances, 1272/2008/EC regulation, Annex XVII. of REACH

Relevant Hungarian regulation and EU directives

Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 (CLP)

Eye Irrit 2                      H319                      (calculated)

*The full text of each relevant Hazard classes and cat., and H- phrase in Section 3.:*

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.
Acute Tox. 4	Acute toxicity Category 4
Skin Corr. 1B	Skin corrosion/irritation Category 1A
Skin Irrit. 2	Skin corrosion/irritation Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
STOT SE 3	Specific target organ toxicity — single exposure Category 3
Aquatic Chronic 2	Hazardous to the aquatic environment, Chronic Category 2

# SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

**MOL-LUB Ltd.**

Trade name: **MOL Favorit 2 lithium complex lubricating grease**

Version: 7    Latest revision: 29. 06. 2017    Date of issue: 20. 06. 2007    Page: 12/(13)

## Legend:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labeling
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging (1272/2008/EC)
CMR	Carcinogenic, Mutagenic or toxic to Reproduction
COD	Chemical Oxygen Demand
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Chemicals Agency
Ec <sub>x</sub>	Effective Concentration x%
ErC <sub>50</sub>	EC <sub>50</sub> in terms of reduction of growth rate
Ed <sub>x</sub>	Effective Dose x%
EC	European Community
EC number	European Community number
ELINCS	European List of Notified Chemical Substances
ES	Exposure Scenario
ESIS	European Chemical Substances Information System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC <sub>x</sub>	Lethal Concentration x%
LD <sub>x</sub>	Lethal Dose x%) Halálos dózis x%
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration

# SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

**MOL-LUB Ltd.**

Trade name: **MOL Favorit 2 lithium complex lubricating grease**

Version: 7    Latest revision: 29. 06. 2017    Date of issue: 20. 06. 2007    Page: 13/(13)

ppm	parts/million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

## Revision Indicators:

Section	Subject of change	Date	Version
3 16 1-16	Composition / information on ingredients The full text of each relevant R phrase in Section 3 Other corrections	01.08.2008	2
3 9 16	Composition / information on ingredients Physical and chemical properties The full text of each relevant R phrase in Section 3.	05.05.2010	3
2 3 11 1-16	Hazards identification Composition/information on ingredients Toxicological information Revision modification according to 453/2010/EC and 1272/2008/EC	01.08.2012	4
1 2 3 5 12 14 1-16	Details of the supplier of the safety data sheet, Responsible for SDS Other hazards Composition/information on ingredients Fire hazards Ecological information Transport information Other corrections, revision modification according to 2015/830 /EC	17.06.2015	5
1-16	Other corrections	01. 06. 2016	6
3	Composition/information on ingredients	29.06.2017	7